


**MUSIC WIRE TO DIN 17223**

**STAINLESS STEEL TO DIN 17224**


Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group					
12.19	2.06	15.75	12.34	197.22	57.73	11.6	C0480-081-0620M	B	164.34	48.11	C0480-081-0620S	C					
		19.05	14.66		44.97	13.4	C0480-081-0750M	B		37.47	C0480-081-0750S	C					
		22.35	16.99		36.82	15.2	C0480-081-0880M	B		30.68	C0480-081-0880S	C					
		25.40	19.15		31.55	17.0	C0480-081-1000M	B		26.29	C0480-081-1000S	C					
		31.75	23.65		24.30	20.5	C0480-081-1250M	B		20.25	C0480-081-1250S	C					
		38.10	28.12		19.77	23.9	C0480-081-1500M	B		16.47	C0480-081-1500S	C					
		44.45	32.61		16.65	27.2	C0480-081-1750M	B		13.87	C0480-081-1750S	C					
		50.80	37.08		14.39	30.6	C0480-081-2000M	B		11.99	C0480-081-2000S	C					
		57.15	41.58		12.66	33.9	C0480-081-2250M	B		10.55	C0480-081-2250S	C					
		63.50	46.05		11.31	37.2	C0480-081-2500M	B		9.42	C0480-081-2500S	C					
		69.85	50.55		10.21	40.5	C0480-081-2750M	B		8.51	C0480-081-2750S	C					
		76.20	55.04		9.32	43.8	C0480-081-3000M	B		7.77	C0480-081-3000S	C					
		82.55	59.51		8.56	47.2	C0480-081-3250M	B		7.13	C0480-081-3250S	C					
		88.90	64.01		7.92	50.5	C0480-081-3500M	B		6.60	C0480-081-3500S	C					
		15.24	1.14		12.70	6.53	26.69	4.33		3.9	C0600-045-0500M	B	22.24	3.61	C0600-045-0500S	C	
					15.75	7.42		3.15		4.6	C0600-045-0625M	B		2.62	C0600-045-0625S	C	
19.05	8.38			2.45	5.2	C0600-045-0750M		B	2.04	C0600-045-0750S	C						
22.35	9.53			2.10	5.7	C0600-045-0880M		B	1.75	C0600-045-0880S	C						
25.40	10.16			1.75	6.4	C0600-045-1000M		B	1.46	C0600-045-1000S	C						
31.75	12.70			1.40	7.4	C0600-045-1250M		B	1.17	C0600-045-1250S	C						
35.05	13.72			1.24	7.8	C0600-045-1380M		B	1.04	C0600-045-1380S	C						
38.10	14.61			1.14	8.6	C0600-045-1500M		B	0.95	C0600-045-1500S	C						
44.45	19.41			1.17	9.3	C0600-045-1750M		B	0.98	C0600-045-1750S	C						
50.80	22.00			1.02	10.2	C0600-045-2000M		B	0.85	C0600-045-2000S	C						
57.15	24.56			0.91	11.1	C0600-045-2250M		B	0.76	C0600-045-2250S	C						
63.50	27.15			0.81	12.0	C0600-045-2500M		B	0.67	C0600-045-2500S	C						
69.85	29.72			0.67	13.7	C0600-045-2750M		B	0.55	C0600-045-2750S	C						
76.20	32.31			0.61	14.9	C0600-045-3000M		B	0.51	C0600-045-3000S	C						
88.90	37.47			0.53	16.7	C0600-045-3500M		B	0.44	C0600-045-3500S	C						
1.24	1.24			15.75	8.13	37.37		4.90	5.9	C0600-049-0620M	B	31.14		4.08	C0600-049-0620S	C	
			19.05	9.53	3.92		6.5	C0600-049-0750M	B	3.27	C0600-049-0750S		C				
			25.40	12.22	2.84		7.5	C0600-049-1000M	B	2.37	C0600-049-1000S		C				
			31.75	14.91	2.22		8.6	C0600-049-1250M	B	1.85	C0600-049-1250S		C				
			38.10	17.60	1.82		9.6	C0600-049-1500M	B	1.52	C0600-049-1500S		C				
			44.45	20.32	1.54		10.7	C0600-049-1750M	B	1.28	C0600-049-1750S		C				
			50.80	23.01	1.35		11.8	C0600-049-2000M	B	1.12	C0600-049-2000S		C				
			57.15	25.70	1.19		12.8	C0600-049-2250M	B	0.99	C0600-049-2250S		C				
			63.50	28.40	1.07		13.9	C0600-049-2500M	B	0.89	C0600-049-2500S		C				
			69.85	31.09	0.96		14.9	C0600-049-2750M	B	0.80	C0600-049-2750S		C				
			76.20	33.78	0.88		16.0	C0600-049-3000M	B	0.73	C0600-049-3000S		C				
			1.40	1.40	15.75		8.26	53.38	7.00	5.7	C0600-055-0620M		B	44.48	5.83	C0600-055-0625S	C
					19.05		9.78		5.78	6.4	C0600-055-0750M		B		4.82	C0600-055-0750S	C
					22.35		11.43		4.90	7.0	C0600-055-0880M		B		4.08	C0600-055-0880S	C
					25.40		12.70		4.20	7.7	C0600-055-1000M		B		3.50	C0600-055-1000S	C
					31.75		14.73		3.15	9.4	C0600-055-1250M		B		2.62	C0600-055-1250S	C
38.10	17.78				2.63	10.7	C0600-055-1500M		B	2.19	C0600-055-1500S	C					
44.45	21.74				2.28	12.9	C0600-055-1750M		B	1.90	C0600-055-1750S	C					
50.80	24.64				1.98	14.3	C0600-055-2000M		B	1.65	C0600-055-2000S	C					
57.15	27.51				1.75	15.6	C0600-055-2250M		B	1.46	C0600-055-2250S	C					
63.50	30.40				1.56	16.9	C0600-055-2500M		B	1.30	C0600-055-2500S	C					
69.85	33.30				1.45	17.8	C0600-055-2750M		B	1.21	C0600-055-2750S	C					
76.20	36.17				1.33	19.1	C0600-055-3000M		B	1.11	C0600-055-3000S	C					
1.50	1.50				15.75	9.07	62.85		9.40	7.6	C0600-059-0620M	B	52.37		7.83	C0600-059-0620S	C
					19.05	10.64			7.48	8.4	C0600-059-0750M	B			6.23	C0600-059-0750S	C
					22.35	12.22			6.20	9.1	C0600-059-0880M	B			5.17	C0600-059-0880S	C
					25.40	13.67			5.36	9.9	C0600-059-1000M	B			4.47	C0600-059-1000S	C
			31.75	16.69	4.17	11.4		C0600-059-1250M	B	3.47	C0600-059-1250S	C					
			38.10	19.71	3.41	13.0		C0600-059-1500M	B	2.84	C0600-059-1500S	C					
			44.45	22.73	2.89	14.5		C0600-059-1750M	B	2.41	C0600-059-1750S	C					
			50.80	25.76	2.50	16.0		C0600-059-2000M	B	2.08	C0600-059-2000S	C					
			57.15	28.78	2.21	17.5		C0600-059-2250M	B	1.84	C0600-059-2250S	C					
			63.50	31.80	1.98	19.0		C0600-059-2500M	B	1.65	C0600-059-2500S	C					
		69.85	34.82	1.79	20.6	C0600-059-2750M		B	1.49	C0600-059-2750S	C						
		76.20	37.85	1.65	22.1	C0600-059-3000M		B	1.37	C0600-059-3000S	C						
		1.60	1.60	15.75	8.51	80.07		10.86	7.1	C0600-063-0620M	B	66.72		9.05	C0600-063-0625S	C	
				19.05	10.16			8.93	8.0	C0600-063-0750M	B			7.44	C0600-063-0750S	C	
				22.35	11.81			7.70	8.7	C0600-063-0880M	B			6.42	C0600-063-0880S	C	
				25.40	13.34			6.65	9.6	C0600-063-1000M	B			5.54	C0600-063-1000S	C	
31.75	17.02			5.43	11.0		C0600-063-1250M	B	4.52	C0600-063-1250S	C						
38.10	19.05			4.20	13.4		C0600-063-1500M	B	3.50	C0600-063-1500S	C						
44.45	23.75			3.64	16.0		C0600-063-1750M	B	3.03	C0600-063-1750S	C						
50.80	26.90			3.15	17.8		C0600-063-2000M	B	2.62	C0600-063-2000S	C						
57.15	30.07			2.78	19.5		C0600-063-2250M	B	2.32	C0600-063-2250S	C						
63.50	33.22			2.49	21.2		C0600-063-2500M	B	2.07	C0600-063-2500S	C						
69.85	36.40			2.40	21.9		C0600-063-2750M	B	2.00	C0600-063-2750S	C						
76.20	39.57			2.19	23.5		C0600-063-3000M	B	1.82	C0600-063-3000S	C						
88.90	45.90			1.86	26.8		C0600-063-3500M	B	1.55	C0600-063-3500S	C						
1.70	1.70			15.75	9.14		93.41	14.01	7.6	C0600-067-0620M	B		77.84	11.67	C0600-067-0625S	C	
				19.05	10.92			11.56	8.5	C0600-067-0750M	B			9.63	C0600-067-0750S	C	
				22.35	11.56			8.76	10.2	C0600-067-0880M	B			7.30	C0600-067-0880S	C	
		25.40	13.46	7.88	10.9	C0600-067-1000M		B	6.57	C0600-067-1000S	C						
		31.75	16.89	6.30	12.8	C0600-067-1250M		B	5.25	C0600-067-1250S	C						
		38.10	19.81	5.08	15.1	C0600-067-1500M		B	4.23	C0600-067-1500S	C						
		44.45	21.08	4.03	18.2	C0600-067-1750M		B	3.36	C0600-067-1750S	C						
		50.80	28.09	3.94	19.6	C0600-067-2000M		B	3.28	C0600-067-2000S	C						
		57.15	31.39	3.47	21.5	C0600-067-2250M		B	2.89	C0600-067-2250S	C						
		63.50	34.70	3.10	23.4	C0600-067-2500M		B	2.58	C0600-067-2500S	C						
		69.85	38.00	2.92	24.5	C0600-067-2750M		B	2.43	C0600-067-2750S	C						
		76.20	41.30	2.68	26.4	C0600-067-3000M		B	2.23	C0600-067-3000S	C						



**MUSIC WIRE TO DIN 17223**

**STAINLESS STEEL TO DIN 17224**


Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group		
15.24	1.83	15.75	10.29	106.76	20.05	9.7	C0600-072-0620M	B	88.96	16.71	C0600-072-0620S	C		
		19.05	11.30		13.66	10.1	C0600-072-0750M	B		11.38	C0600-072-0750S	C		
		22.35	13.21		11.91	11.0	C0600-072-0880M	B		9.92	C0600-072-0880S	C		
		25.40	14.35		9.63	12.7	C0600-072-1000M	B		8.02	C0600-072-1000S	C		
		31.75	18.03		7.88	14.8	C0600-072-1250M	B		6.57	C0600-072-1250S	C		
		38.10	21.08		6.30	17.5	C0600-072-1500M	B		5.25	C0600-072-1500S	C		
		44.45	24.13		5.25	20.3	C0600-072-1750M	B		4.37	C0600-072-1750S	C		
		50.80	28.96		4.90	21.5	C0600-072-2000M	B		4.08	C0600-072-2000S	C		
		57.15	33.05		4.54	24.0	C0600-072-2250M	B		3.78	C0600-072-2250S	C		
		63.50	36.53		4.05	26.2	C0600-072-2500M	B		3.37	C0600-072-2500S	C		
		69.85	40.67		3.66	28.4	C0600-072-2750M	B		3.05	C0600-072-2750S	C		
		76.20	44.25		3.34	30.6	C0600-072-3000M	B		2.78	C0600-072-3000S	C		
		15.75	11.84		145.41	37.23	10.5	C0600-081-0620M		C	31.02	C0600-081-0620S	D	
		19.05	14.05			29.00	11.7	C0600-081-0750M		C	24.17	C0600-081-0750S	D	
		22.35	16.23			23.74	12.9	C0600-081-0880M		C	19.78	C0600-081-0880S	D	
		25.40	18.26			20.35	14.0	C0600-081-1000M		C	16.96	C0600-081-1000S	D	
		31.75	22.48			15.67	16.4	C0600-081-1250M		C	13.06	C0600-081-1250S	D	
		38.10	26.70			12.75	18.7	C0600-081-1500M		C	10.62	C0600-081-1500S	D	
	44.45	30.91	10.73	21.0		C0600-081-1750M	C	8.94	C0600-081-1750S	D				
	50.80	35.13	9.28	23.4		C0600-081-2000M	C	7.73	C0600-081-2000S	D				
	57.15	39.34	8.16	25.7		C0600-081-2250M	C	6.80	C0600-081-2250S	D				
	63.50	43.56	7.30	28.0		C0600-081-2500M	C	6.08	C0600-081-2500S	D				
	69.85	47.78	6.58	30.4		C0600-081-2750M	C	5.48	C0600-081-2750S	D				
	76.20	51.99	6.01	32.7		C0600-081-3000M	C	5.01	C0600-081-3000S	D				
	82.55	56.21	5.52	35.0		C0600-081-3250M	C	4.60	C0600-081-3250S	D				
	88.90	60.43	5.11	37.4		C0600-081-3500M	C	4.26	C0600-081-3500S	D				
	95.25	64.64	4.75	39.7		C0600-081-3750M	C	3.96	C0600-081-3750S	D				
	101.60	68.86	4.45	42.1		C0600-081-4000M	C	3.71	C0600-081-4000S	D				
	15.75	12.12	167.33	45.96		11.0	C0600-085-0620M	C	38.30	C0600-085-0620S	D			
	19.05	14.35		35.65		12.3	C0600-085-0750M	C	29.71	C0600-085-0750S	D			
	22.35	16.61		29.14	13.6	C0600-085-0880M	C	24.28	C0600-085-0880S	D				
	25.40	18.69		24.92	14.8	C0600-085-1000M	C	20.77	C0600-085-1000S	D				
	31.75	23.01		19.16	17.3	C0600-085-1250M	C	15.97	C0600-085-1250S	D				
	38.10	27.33		15.55	19.8	C0600-085-1500M	C	12.96	C0600-085-1500S	D				
	44.45	31.67		13.10	22.4	C0600-085-1750M	C	10.92	C0600-085-1750S	D				
	50.80	35.99		11.29	24.8	C0600-085-2000M	C	9.41	C0600-085-2000S	D				
	57.15	40.34		9.95	27.4	C0600-085-2250M	C	8.29	C0600-085-2250S	D				
	63.50	44.65		8.88	29.9	C0600-085-2500M	C	7.40	C0600-085-2500S	D				
	69.85	48.97		8.02	32.4	C0600-085-2750M	C	6.68	C0600-085-2750S	D				
	76.20	53.31		7.30	34.9	C0600-085-3000M	C	6.08	C0600-085-3000S	D				
	82.55	57.63		6.71	37.4	C0600-085-3250M	C	5.59	C0600-085-3250S	D				
	88.90	61.95		6.22	39.9	C0600-085-3500M	C	5.18	C0600-085-3500S	D				
	95.25	66.29		5.78	42.4	C0600-085-3750M	C	4.82	C0600-085-3750S	D				
	101.60	70.61		5.39	44.9	C0600-085-4000M	C	4.49	C0600-085-4000S	D				
	19.05	15.01		206.65	51.04	13.3	C0600-092-0750M	C	42.53	C0600-092-0750S	D			
	22.35	17.37			41.50	14.8	C0600-092-0880M	C	34.58	C0600-092-0880S	D			
	25.40	19.56	35.41		16.1	C0600-092-1000M	C	29.51	C0600-092-1000S	D				
	31.75	24.13	27.09		18.9	C0600-092-1250M	C	22.57	C0600-092-1250S	D				
	38.10	28.68	21.96		21.7	C0600-092-1500M	C	18.30	C0600-092-1500S	D				
	44.45	33.25	18.44		24.4	C0600-092-1750M	C	15.37	C0600-092-1750S	D				
	50.80	37.80	15.90		27.2	C0600-092-2000M	C	13.25	C0600-092-2000S	D				
	57.15	42.37	13.97		30.0	C0600-092-2250M	C	11.64	C0600-092-2250S	D				
	63.50	46.94	12.47		32.8	C0600-092-2500M	C	10.39	C0600-092-2500S	D				
	69.85	51.49	11.26		35.6	C0600-092-2750M	C	9.38	C0600-092-2750S	D				
	76.20	56.06	10.26		38.3	C0600-092-3000M	C	8.55	C0600-092-3000S	D				
	82.55	60.60	9.42		41.1	C0600-092-3250M	C	7.85	C0600-092-3250S	D				
	88.90	65.18	8.70		43.9	C0600-092-3500M	C	7.25	C0600-092-3500S	D				
	95.25	69.75	8.11		46.7	C0600-092-3750M	C	6.76	C0600-092-3750S	D				
	101.60	74.30	7.56		49.5	C0600-092-4000M	C	6.30	C0600-092-4000S	D				
	19.05	15.44	245.26		67.90	14.2	C0600-098-0750M	C	56.58	C0600-098-0750S	D			
	22.35	17.88			55.00	15.8	C0600-098-0880M	C	45.83	C0600-098-0880S	D			
	25.40	20.17			46.79	17.2	C0600-098-1000M	C	38.99	C0600-098-1000S	D			
	31.75	24.89		35.70	20.3	C0600-098-1250M	C	29.75	C0600-098-1250S	D				
	38.10	29.59		28.86	23.3	C0600-098-1500M	C	24.05	C0600-098-1500S	D				
	44.45	34.32		24.22	26.3	C0600-098-1750M	C	20.18	C0600-098-1750S	D				
	50.80	39.04		20.85	29.4	C0600-098-2000M	C	17.37	C0600-098-2000S	D				
	57.15	43.76		18.32	32.4	C0600-098-2250M	C	15.27	C0600-098-2250S	D				
	63.50	48.49		16.34	35.4	C0600-098-2500M	C	13.62	C0600-098-2500S	D				
	69.85	53.21		14.73	38.5	C0600-098-2750M	C	12.27	C0600-098-2750S	D				
	76.20	57.91		13.41	41.5	C0600-098-3000M	C	11.17	C0600-098-3000S	D				
	82.55	62.64		12.33	44.6	C0600-098-3250M	C	10.27	C0600-098-3250S	D				
	88.90	67.36		11.38	47.6	C0600-098-3500M	C	9.48	C0600-098-3500S	D				
	95.25	72.09		10.59	50.6	C0600-098-3750M	C	8.82	C0600-098-3750S	D				
	101.60	76.81		9.89	53.6	C0600-098-4000M	C	8.24	C0600-098-4000S	D				
	18.29	1.40		15.75	8.13	43.37	5.69	6.1	C0720-055-0620M	C	36.14	4.74	C0720-055-0620S	D
				19.05	8.00		4.03	5.6	C0720-055-0750M	C		3.36	C0720-055-0750S	D
				22.35	9.53		3.50	6.1	C0720-055-0880M	C		2.92	C0720-055-0880S	D
			25.40	11.68	3.24		6.3	C0720-055-1000M	C	2.70		C0720-055-1000S	D	
			31.75	14.73	2.63		7.1	C0720-055-1250M	C	2.19		C0720-055-1250S	D	
			38.10	16.00	2.01		8.5	C0720-055-1500M	C	1.67		C0720-055-1500S	D	
			44.45	17.02	1.61		9.9	C0720-055-1750M	C	1.34		C0720-055-1750S	D	
			50.80	20.83	1.49		10.4	C0720-055-2000M	C	1.24		C0720-055-2000S	D	
			57.15	25.20	1.37		12.2	C0720-055-2250M	C	1.14		C0720-055-2250S	D	
			63.50	27.81	1.21		13.2	C0720-055-2500M	C	1.01		C0720-055-2500S	D	
			69.85	30.43	1.10		14.1	C0720-055-2750M	C	0.92		C0720-055-2750S	D	
			76.20	33.07	1.00		15.1	C0720-055-3000M	C	0.83		C0720-055-3000S	D	
			19.05	9.88	52.84		5.76	7.2	C0720-059-0750M	C		4.80	C0720-059-0750S	D
			22.35	11.28			4.78	7.8	C0720-059-0880M	C		3.98	C0720-059-0880S	D
			25.40	12.60			4.12	8.3	C0720-059-1000M	C		3.43	C0720-059-1000S	D



MUSIC WIRE TO DIN 17223

STAINLESS STEEL TO DIN 17224

Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group
18.29	1.50	31.75	15.32	52.84	3.20	9.4	C0720-059-1250M	C	44.03	2.67	C0720-059-1250S	D
		38.10	18.03		2.63	10.5	C0720-059-1500M	C		2.19	C0720-059-1500S	D
		44.45	20.75		2.22	11.6	C0720-059-1750M	C		1.85	C0720-059-1750S	D
		50.80	23.47		1.93	12.7	C0720-059-2000M	C		1.60	C0720-059-2000S	D
		57.15	26.19		1.70	13.8	C0720-059-2250M	C		1.41	C0720-059-2250S	D
		63.50	28.91		1.52	14.9	C0720-059-2500M	C		1.27	C0720-059-2500S	D
		15.75	8.79		9.11	7.3	C0720-063-0620M	C		7.59	C0720-063-0620S	D
	19.05	8.26	5.78	7.2	C0720-063-0750M	C	4.82	C0720-063-0750S	D			
	22.35	9.53	4.90	7.9	C0720-063-0880M	C	4.08	C0720-063-0880S	D			
	25.40	10.67	4.20	8.7	C0720-063-1000M	C	3.50	C0720-063-1000S	D			
	31.75	12.45	3.24	10.4	C0720-063-1250M	C	2.70	C0720-063-1250S	D			
	38.10	14.48	2.63	12.1	C0720-063-1500M	C	2.19	C0720-063-1500S	D			
	44.45	17.27	2.28	13.4	C0720-063-1750M	C	1.90	C0720-063-1750S	D			
	50.80	18.54	1.93	15.3	C0720-063-2000M	C	1.60	C0720-063-2000S	D			
	57.15	27.20	2.12	15.4	C0720-063-2250M	C	1.77	C0720-063-2250S	D			
	63.50	30.02	1.89	16.6	C0720-063-2500M	C	1.58	C0720-063-2500S	D			
	69.85	32.87	1.72	17.8	C0720-063-2750M	C	1.43	C0720-063-2750S	D			
	76.20	35.69	1.56	19.1	C0720-063-3000M	C	1.30	C0720-063-3000S	D			
	19.05	10.44	8.06	8.2	C0720-065-0750M	C	6.72	C0720-065-0750S	D			
	22.35	11.94	6.65	8.9	C0720-065-0880M	C	5.54	C0720-065-0880S	D			
	25.40	13.34	5.74	9.6	C0720-065-1000M	C	4.78	C0720-065-1000S	D			
	31.75	16.21	4.45	10.9	C0720-065-1250M	C	3.71	C0720-065-1250S	D			
	38.10	19.10	3.64	12.2	C0720-065-1500M	C	3.03	C0720-065-1500S	D			
	44.45	21.97	3.08	13.5	C0720-065-1750M	C	2.57	C0720-065-1750S	D			
	50.80	24.84	2.66	14.8	C0720-065-2000M	C	2.22	C0720-065-2000S	D			
	57.15	27.74	2.35	16.1	C0720-065-2250M	C	1.96	C0720-065-2250S	D			
	63.50	30.61	2.10	17.5	C0720-065-2500M	C	1.75	C0720-065-2500S	D			
	69.85	33.50	1.91	18.1	C0720-065-2750M	C	1.59	C0720-065-2750S	D			
	76.20	36.37	1.73	20.1	C0720-065-3000M	C	1.44	C0720-065-3000S	D			
	19.05	9.91	8.76	7.1	C0720-067-0750M	C	7.30	C0720-067-0750S	D			
	22.35	10.80	7.00	8.0	C0720-067-0880M	C	5.83	C0720-067-0880S	D			
	25.40	11.43	5.78	9.0	C0720-067-1000M	C	4.82	C0720-067-1000S	D			
	31.75	14.73	4.73	10.2	C0720-067-1250M	C	3.94	C0720-067-1250S	D			
	38.10	17.27	3.85	11.8	C0720-067-1500M	C	3.21	C0720-067-1500S	D			
	44.45	19.05	3.15	13.7	C0720-067-1750M	C	2.62	C0720-067-1750S	D			
	50.80	21.59	2.71	15.3	C0720-067-2000M	C	2.26	C0720-067-2000S	D			
	57.15	28.27	2.61	17.0	C0720-067-2250M	C	2.17	C0720-067-2250S	D			
	63.50	31.19	2.33	18.4	C0720-067-2500M	C	1.94	C0720-067-2500S	D			
	76.20	37.08	1.93	21.2	C0720-067-3000M	C	1.60	C0720-067-3000S	D			
	82.55	40.01	1.87	21.6	C0720-067-3250M	C	1.56	C0720-067-3250S	D			
	88.90	42.95	1.75	22.9	C0720-067-3500M	C	1.46	C0720-067-3500S	D			
	19.05	11.13	11.78	9.4	C0720-072-0750M	C	9.82	C0720-072-0750S	D			
	22.35	11.05	8.41	9.3	C0720-072-0880M	C	7.01	C0720-072-0880S	D			
	25.40	12.70	7.35	10.1	C0720-072-1000M	C	6.12	C0720-072-1000S	D			
	31.75	16.51	6.13	11.4	C0720-072-1250M	C	5.11	C0720-072-1250S	D			
	38.10	17.78	4.55	14.1	C0720-072-1500M	C	3.79	C0720-072-1500S	D			
	44.45	20.57	3.85	15.9	C0720-072-1750M	C	3.21	C0720-072-1750S	D			
	50.80	24.13	3.50	17.2	C0720-072-2000M	C	2.92	C0720-072-2000S	D			
	57.15	29.62	3.34	19.1	C0720-072-2250M	C	2.78	C0720-072-2250S	D			
	63.50	32.69	2.99	20.7	C0720-072-2500M	C	2.49	C0720-072-2500S	D			
	69.85	35.79	2.70	22.3	C0720-072-2750M	C	2.25	C0720-072-2750S	D			
	76.20	38.86	2.47	23.9	C0720-072-3000M	C	2.06	C0720-072-3000S	D			
	82.55	41.38	2.28	25.5	C0720-072-3250M	C	1.90	C0720-072-3250S	D			
	88.90	44.42	2.10	27.0	C0720-072-3500M	C	1.75	C0720-072-3500S	D			
	101.60	51.18	1.86	30.0	C0720-072-4000M	C	1.55	C0720-072-4000S	D			
	19.05	11.99	18.12	10.9	C0720-081-0750M	C	15.10	C0720-081-0750S	D			
	22.35	13.74	14.83	11.9	C0720-081-0880M	C	12.36	C0720-081-0880S	D			
	25.40	15.34	12.71	12.9	C0720-081-1000M	C	10.59	C0720-081-1000S	D			
	31.75	18.69	9.79	14.9	C0720-081-1250M	C	8.16	C0720-081-1250S	D			
	38.10	22.05	7.97	16.9	C0720-081-1500M	C	6.64	C0720-081-1500S	D			
	44.45	25.40	6.71	18.9	C0720-081-1750M	C	5.59	C0720-081-1750S	D			
	50.80	28.75	5.80	20.9	C0720-081-2000M	C	4.83	C0720-081-2000S	D			
	57.15	32.11	5.10	22.9	C0720-081-2250M	C	4.25	C0720-081-2250S	D			
	63.50	35.46	4.55	24.9	C0720-081-2500M	C	3.79	C0720-081-2500S	D			
	69.85	38.81	4.12	26.9	C0720-081-2750M	C	3.43	C0720-081-2750S	D			
	76.20	42.16	3.75	28.9	C0720-081-3000M	C	3.12	C0720-081-3000S	D			
	88.90	48.87	3.19	32.9	C0720-081-3500M	C	2.66	C0720-081-3500S	D			
	101.60	55.52	2.78	37.0	C0720-081-4000M	C	2.32	C0720-081-4000S	D			
	19.05	12.90	24.34	11.0	C0720-085-0750M	C	20.28	C0720-085-0750S	D			
	22.35	14.83	19.87	12.0	C0720-085-0880M	C	16.56	C0720-085-0880S	D			
	25.40	16.61	17.00	13.0	C0720-085-1000M	C	14.17	C0720-085-1000S	D			
	31.75	20.32	13.06	15.0	C0720-085-1250M	C	10.88	C0720-085-1250S	D			
	38.10	24.03	10.61	16.9	C0720-085-1500M	C	8.84	C0720-085-1500S	D			
	44.45	27.74	8.93	18.9	C0720-085-1750M	C	7.44	C0720-085-1750S	D			
	50.80	31.42	7.70	20.8	C0720-085-2000M	C	6.42	C0720-085-2000S	D			
	57.15	35.13	6.78	22.8	C0720-085-2250M	C	5.65	C0720-085-2250S	D			
	63.50	38.84	6.06	24.8	C0720-085-2500M	C	5.05	C0720-085-2500S	D			
	69.85	42.55	5.46	26.7	C0720-085-2750M	C	4.55	C0720-085-2750S	D			
	76.20	46.25	4.99	28.7	C0720-085-3000M	C	4.16	C0720-085-3000S	D			
	88.90	53.64	4.24	32.6	C0720-085-3500M	C	3.53	C0720-085-3500S	D			
	101.60	61.06	3.68	36.5	C0720-085-4000M	C	3.07	C0720-085-4000S	D			
	19.05	14.22	41.78	12.4	C0720-096-0750M	C	34.82	C0720-096-0750S	D			
	22.35	16.41	33.90	13.6	C0720-096-0880M	C	28.25	C0720-096-0880S	D			
	25.40	18.42	28.86	14.8	C0720-096-1000M	C	24.05	C0720-096-1000S	D			
	31.75	22.61	22.05	17.0	C0720-096-1250M	C	18.37	C0720-096-1250S	D			
	38.10	26.80	17.83	19.4	C0720-096-1500M	C	14.86	C0720-096-1500S	D			
	44.45	30.99	14.97	21.6	C0720-096-1750M	C	12.47	C0720-096-1750S	D			
	50.80	35.18	12.91	24.0	C0720-096-2000M	C	10.76	C0720-096-2000S	D			
	57.15	39.34	11.33	26.3	C0720-096-2250M	C	9.44	C0720-096-2250S	D			




B



MUSIC WIRE TO DIN 17223

STAINLESS STEEL TO DIN 17224

Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group	
18.29	2.44	63.50	43.54	201.63	10.10	28.5	C0720-096-2500M	C	168.02	8.42	C0720-096-2500S	D	
		69.85	47.73		9.12	30.9	C0720-096-2750M	C		7.60	C0720-096-2750S	D	
		76.20	51.92		8.30	33.2	C0720-096-3000M	C		6.92	C0720-096-3000S	D	
		88.90	60.30		7.06	37.7	C0720-096-3500M	C		5.88	C0720-096-3500S	D	
		101.60	68.68		6.13	42.4	C0720-096-4000M	C		5.11	C0720-096-4000S	D	
		19.05	14.86		260.65	62.11	13.6	C0720-105-0750M		C	51.76	C0720-105-0750S	D
	22.35	17.15	50.06	15.0		C0720-105-0880M	C	41.71	C0720-105-0880S	D			
	25.40	19.25	42.46	16.3		C0720-105-1000M	C	35.38	C0720-105-1000S	D			
	31.75	23.67	32.25	18.9		C0720-105-1250M	C	26.87	C0720-105-1250S	D			
	38.10	28.07	26.00	21.5		C0720-105-1500M	C	21.67	C0720-105-1500S	D			
	44.45	32.49	21.78	24.1		C0720-105-1750M	C	18.15	C0720-105-1750S	D			
	50.80	36.88	18.74	26.7		C0720-105-2000M	C	15.62	C0720-105-2000S	D			
	57.15	41.30	16.44	29.3		C0720-105-2250M	C	13.70	C0720-105-2250S	D			
	63.50	45.69	14.64	31.9		C0720-105-2500M	C	12.20	C0720-105-2500S	D			
	69.85	50.11	13.20	34.6		C0720-105-2750M	C	11.00	C0720-105-2750S	D			
	76.20	54.51	12.03	37.2		C0720-105-3000M	C	10.02	C0720-105-3000S	D			
	88.90	63.32	10.19	42.4		C0720-105-3500M	C	8.49	C0720-105-3500S	D			
	101.60	72.14	8.84	47.6		C0720-105-4000M	C	7.37	C0720-105-4000S	D			
	19.05	15.29	309.54	82.09		14.6	C0720-112-0750M	C	68.41	C0720-112-0750S	D		
	22.35	17.65		65.82	16.1	C0720-112-0880M	C	54.85	C0720-112-0880S	D			
	25.40	19.84		55.63	17.5	C0720-112-1000M	C	46.36	C0720-112-1000S	D			
	31.75	24.38		42.08	20.5	C0720-112-1250M	C	35.07	C0720-112-1250S	D			
	38.10	28.96		33.83	23.3	C0720-112-1500M	C	28.19	C0720-112-1500S	D			
	44.45	33.50		28.30	26.3	C0720-112-1750M	C	23.58	C0720-112-1750S	D			
	50.80	38.07		24.30	29.2	C0720-112-2000M	C	20.25	C0720-112-2000S	D			
	57.15	42.62		21.31	32.0	C0720-112-2250M	C	17.76	C0720-112-2250S	D			
	63.50	47.19		18.96	35.0	C0720-112-2500M	C	15.80	C0720-112-2500S	D			
	69.85	51.74		17.09	37.9	C0720-112-2750M	C	14.24	C0720-112-2750S	D			
	76.20	56.29		15.55	40.8	C0720-112-3000M	C	12.96	C0720-112-3000S	D			
	88.90	65.41		13.19	46.6	C0720-112-3500M	C	10.99	C0720-112-3500S	D			
	101.60	74.52		11.43	52.4	C0720-112-4000M	C	9.52	C0720-112-4000S	D			
	21.59	1.73		19.05	11.30	48.66	6.29	7.4	C0850-068-0750M	C	40.55	5.24	C0850-068-0750S
			22.35	12.90	5.22		8.1	C0850-068-0875M	C	4.35		C0850-068-0875S	D
			25.40	14.50	4.47		8.7	C0850-068-1000M	C	3.72		C0850-068-1000S	D
			31.75	17.68	3.47		9.9	C0850-068-1250M	C	2.89		C0850-068-1250S	D
			38.10	20.88	2.82		11.2	C0850-068-1500M	C	2.35		C0850-068-1500S	D
44.45			24.08	2.38	12.4		C0850-068-1750M	C	1.98	C0850-068-1750S		D	
50.80			27.28	2.07	13.7		C0850-068-2000M	C	1.72	C0850-068-2000S		D	
57.15			30.48	1.82	15.0		C0850-068-2250M	C	1.52	C0850-068-2250S		D	
63.50			33.66	1.63	16.2		C0850-068-2500M	C	1.36	C0850-068-2500S		D	
76.20			40.06	1.35	18.8		C0850-068-3000M	C	1.12	C0850-068-3000S		D	
88.90		46.43	1.14	21.3	C0850-068-3500M	C	0.95	C0850-068-3500S	D				
101.60		52.83	1.00	23.8	C0850-068-4000M	C	0.83	C0850-068-4000S	D				
22.35		13.46	61.65	7.02	9.0	C0850-074-0875M	C	5.85	C0850-074-0875S	D			
25.40		15.11		5.99	9.8	C0850-074-1000M	C	4.99	C0850-074-1000S	D			
31.75		18.47		4.64	11.3	C0850-074-1250M	C	3.87	C0850-074-1250S	D			
38.10		21.79		3.78	12.7	C0850-074-1500M	C	3.15	C0850-074-1500S	D			
50.80		28.45		2.77	15.7	C0850-074-2000M	C	2.31	C0850-074-2000S	D			
63.50		35.13		2.17	18.7	C0850-074-2500M	C	1.81	C0850-074-2500S	D			
76.20		41.78		1.79	21.6	C0850-074-3000M	C	1.49	C0850-074-3000S	D			
88.90		48.46		1.52	24.6	C0850-074-3500M	C	1.27	C0850-074-3500S	D			
19.05		12.34	79.31	11.85	9.3	C0850-081-0750M	C	9.87	C0850-081-0750S	D			
22.35		14.10		9.77	10.2	C0850-081-0875M	C	8.14	C0850-081-0875S	D			
25.40		15.85		8.32	11.0	C0850-081-1000M	C	6.93	C0850-081-1000S	D			
31.75		19.35		6.41	12.8	C0850-081-1250M	C	5.34	C0850-081-1250S	D			
38.10		22.86		5.20	14.5	C0850-081-1500M	C	4.33	C0850-081-1500S	D			
44.45		26.37		4.40	16.3	C0850-081-1750M	C	3.67	C0850-081-1750S	D			
50.80		29.87		3.78	18.1	C0850-081-2000M	C	3.15	C0850-081-2000S	D			
57.15		33.38		3.34	19.8	C0850-081-2250M	C	2.78	C0850-081-2250S	D			
63.50		36.88		2.98	21.6	C0850-081-2500M	C	2.48	C0850-081-2500S	D			
69.85		40.39		2.70	23.4	C0850-081-2750M	C	2.25	C0850-081-2750S	D			
76.20		43.89	2.45	25.1	C0850-081-3000M	C	2.04	C0850-081-3000S	D				
88.90		50.90	2.08	28.6	C0850-081-3500M	C	1.73	C0850-081-3500S	D				
19.05		12.67	90.70	14.24	9.9	C0850-085-0750M	C	11.87	C0850-085-0750S	D			
22.35		14.48		11.71	10.8	C0850-085-0875M	C	9.76	C0850-085-0875S	D			
25.40		16.28		9.95	11.8	C0850-085-1000M	C	8.29	C0850-085-1000S	D			
31.75		19.89		7.63	13.7	C0850-085-1250M	C	6.36	C0850-085-1250S	D			
38.10	23.50	6.20		15.6	C0850-085-1500M	C	5.17	C0850-085-1500S	D				
44.45	27.10	5.22		17.5	C0850-085-1750M	C	4.35	C0850-085-1750S	D				
50.80	30.68	4.52		19.5	C0850-085-2000M	C	3.77	C0850-085-2000S	D				
57.15	34.29	3.98		21.4	C0850-085-2250M	C	3.32	C0850-085-2250S	D				
63.50	37.90	3.54		23.3	C0850-085-2500M	C	2.95	C0850-085-2500S	D				
69.85	41.50	3.20		25.2	C0850-085-2750M	C	2.67	C0850-085-2750S	D				
76.20	45.11	2.92		27.1	C0850-085-3000M	C	2.43	C0850-085-3000S	D				
82.55	48.72	2.68		29.1	C0850-085-3250M	C	2.23	C0850-085-3250S	D				
88.90	52.30	2.49		31.0	C0850-085-3500M	C	2.07	C0850-085-3500S	D				
101.60	59.51	2.15		34.8	C0850-085-4000M	C	1.79	C0850-085-4000S	D				
22.35	15.19	112.94	15.78	12.0	C0850-092-0880M	C	13.15	C0850-092-0880S	D				
25.40	17.02		13.47	13.0	C0850-092-1000M	C	11.22	C0850-092-1000S	D				
31.75	20.78		10.30	15.2	C0850-092-1250M	C	8.58	C0850-092-1250S	D				
38.10	24.56		8.35	17.4	C0850-092-1500M	C	6.96	C0850-092-1500S	D				
44.45	28.35		7.00	19.6	C0850-092-1750M	C	5.83	C0850-092-1750S	D				
50.80	32.13		6.04	21.8	C0850-092-2000M	D	5.03	C0850-092-2000S	F				
57.15	35.89		5.32	24.0	C0850-092-2250M	D	4.43	C0850-092-2250S	F				
63.50	39.67		4.75	26.2	C0850-092-2500M	D	3.96	C0850-092-2500S	F				
69.85	43.46		4.27	28.5	C0850-092-2750M	D	3.56	C0850-092-2750S	F				
76.20	47.24		3.91	30.7	C0850-092-3000M	D	3.26	C0850-092-3000S	F				
88.90	54.79		3.31	35.0	C0850-092-3500M	D	2.76	C0850-092-3500S	F				
25.40	17.63		112.94	17.28	14.1	C0850-098-1000M	D	14.40	C0850-098-1000S	F			




B



**MUSIC WIRE TO DIN 17223**

**STAINLESS STEEL TO DIN 17224**

Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group				
21.59	2.49	31.75	21.54	134.51	13.19	16.5	C0850-098-1250M	D	112.09	10.99	C0850-098-1250S	F				
		38.10	25.48		10.65	19.0	C0850-098-1500M	D		8.87	C0850-098-1500S	F				
		44.45	29.41		8.95	21.4	C0850-098-1750M	D		7.46	C0850-098-1750S	F				
		50.80	33.32		7.70	23.9	C0850-098-2000M	D		6.42	C0850-098-2000S	F				
		57.15	37.26		6.76	26.3	C0850-098-2250M	D		5.63	C0850-098-2250S	F				
		63.50	41.20		6.02	28.8	C0850-098-2500M	D		5.02	C0850-098-2500S	F				
		69.85	45.11		5.45	31.2	C0850-098-2750M	D		4.54	C0850-098-2750S	F				
		76.20	49.05		4.96	33.7	C0850-098-3000M	D		4.13	C0850-098-3000S	F				
		88.90	56.90		4.20	38.5	C0850-098-3500M	D		3.50	C0850-098-3500S	F				
		24.77	1.88		19.05	11.30	54.05	6.97		7.5	C0975-074-0750M	D	45.04	5.81	C0975-074-0750S	F
22.35	12.85			5.78	8.1	C0975-074-0875M		D	4.82	C0975-074-0875S	F					
25.40	14.43			4.92	8.6	C0975-074-1000M		D	4.10	C0975-074-1000S	F					
31.75	17.55			3.80	9.8	C0975-074-1250M		D	3.17	C0975-074-1250S	F					
38.10	20.68			3.10	10.9	C0975-074-1500M		D	2.58	C0975-074-1500S	F					
50.80	26.95			2.26	13.3	C0975-074-2000M		D	1.88	C0975-074-2000S	F					
63.50	33.20			1.79	15.6	C0975-074-2500M		D	1.49	C0975-074-2500S	F					
76.20	39.47			1.47	17.9	C0975-074-3000M		D	1.23	C0975-074-3000S	F					
88.90	45.72			1.24	20.2	C0975-074-3500M		D	1.04	C0975-074-3500S	F					
101.60	51.99			1.09	22.5	C0975-074-4000M		D	0.90	C0975-074-4000S	F					
24.77	2.16	22.35	13.77	79.62	9.42	9.7	C0975-085-0875M	D	66.35	7.85	C0975-085-0875S	F				
		25.40	15.44		8.00	10.4	C0975-085-1000M	D		6.67	C0975-085-1000S	F				
		31.75	18.80		6.15	11.9	C0975-085-1250M	D		5.12	C0975-085-1250S	F				
		38.10	22.15		4.99	13.5	C0975-085-1500M	D		4.16	C0975-085-1500S	F				
		50.80	28.85		3.63	16.5	C0975-085-2000M	D		3.02	C0975-085-2000S	F				
		63.50	35.56		2.85	19.5	C0975-085-2500M	D		2.37	C0975-085-2500S	F				
		76.20	42.27		2.35	22.6	C0975-085-3000M	D		1.96	C0975-085-3000S	F				
		88.90	48.97		2.00	25.6	C0975-085-3500M	D		1.66	C0975-085-3500S	F				
		24.77	2.34		22.35	14.35	99.24	12.61		10.7	C0975-092-0875M	F	82.70	10.51	C0975-092-0875S	H
					25.40	16.10		10.68		11.6	C0975-092-1000M	F		8.90	C0975-092-1000S	H
31.75	19.61			8.18	13.3	C0975-092-1250M		F	6.82	C0975-092-1250S	H					
38.10	23.11			6.62	15.1	C0975-092-1500M		F	5.52	C0975-092-1500S	H					
50.80	30.12			4.80	18.6	C0975-092-2000M		F	4.00	C0975-092-2000S	H					
63.50	37.11			3.77	22.1	C0975-092-2500M		F	3.14	C0975-092-2500S	H					
76.20	44.12			3.10	25.6	C0975-092-3000M		F	2.58	C0975-092-3000S	H					
88.90	51.13			2.63	29.1	C0975-092-3500M		F	2.19	C0975-092-3500S	H					
101.60	58.14			2.28	32.7	C0975-092-4000M		F	1.90	C0975-092-4000S	H					
24.77	2.44			22.35	14.68	111.69		14.81	11.3	C0975-096-0875M	F	93.07		12.34	C0975-096-0875S	H
		25.40	16.48	12.52	12.2		C0975-096-1000M	F	10.43	C0975-096-1000S	H					
		31.75	20.07	9.56	14.1		C0975-096-1250M	F	7.97	C0975-096-1250S	H					
		38.10	23.65	7.74	16.0		C0975-096-1500M	F	6.45	C0975-096-1500S	H					
		50.80	30.84	5.59	19.8		C0975-096-2000M	F	4.66	C0975-096-2000S	H					
		63.50	38.02	4.38	23.6		C0975-096-2500M	G	3.65	C0975-096-2500S	K					
		76.20	45.19	3.61	27.4		C0975-096-3000M	G	3.01	C0975-096-3000S	K					
		88.90	52.37	3.06	31.2		C0975-096-3500M	G	2.55	C0975-096-3500S	K					
		24.77	2.67	22.35	15.49		143.19	20.85	12.6	C0975-105-0880M	G		119.32	17.37	C0975-105-0880S	K
				25.40	17.30			17.69	13.7	C0975-105-1000M	G			14.74	C0975-105-1000S	K
31.75	21.08			13.43	15.9	C0975-105-1250M		G	11.19	C0975-105-1250S	K					
38.10	24.87			10.82	18.1	C0975-105-1500M		G	9.02	C0975-105-1500S	K					
44.45	28.68			9.07	20.3	C0975-105-1750M		G	7.56	C0975-105-1750S	K					
50.80	32.46			7.81	22.6	C0975-105-2000M		G	6.51	C0975-105-2000S	K					
57.15	36.25			6.85	24.8	C0975-105-2250M		G	5.71	C0975-105-2250S	K					
63.50	40.03			6.09	27.0	C0975-105-2500M		G	5.07	C0975-105-2500S	K					
69.85	43.82			5.50	29.2	C0975-105-2750M		G	4.58	C0975-105-2750S	L					
76.20	47.60			5.01	31.4	C0975-105-3000M		G	4.17	C0975-105-3000S	L					
24.77	2.84	22.35	16.03	171.17	27.09	13.6	C0975-112-0880M	G	142.64	22.57	C0975-112-0880S	L				
		25.40	17.93		22.90	14.8	C0975-112-1000M	G		19.08	C0975-112-1000S	L				
		31.75	21.87		17.32	17.3	C0975-112-1250M	G		14.43	C0975-112-1250S	L				
		38.10	25.81		13.92	19.7	C0975-112-1500M	G		11.60	C0975-112-1500S	L				
		50.80	33.71		10.00	24.6	C0975-112-2000M	G		8.33	C0975-112-2000S	L				
		63.50	41.58		7.81	29.6	C0975-112-2500M	G		6.51	C0975-112-2500S	L				
		76.20	49.45		6.41	34.5	C0975-112-3000M	G		5.34	C0975-112-3000S	L				
		88.90	57.35		5.43	39.4	C0975-112-3500M	G		4.52	C0975-112-3500S	L				
		24.77	3.18		22.35	16.99	231.49	43.18		15.3	C0975-125-0880M	G	192.90	35.98	C0975-125-0880S	L
					25.40	19.02		36.28		16.7	C0975-125-1000M	G		30.23	C0975-125-1000S	L
31.75	23.24			27.21	19.6	C0975-125-1250M		G	22.67	C0975-125-1250S	L					
38.10	27.46			21.77	22.5	C0975-125-1500M		G	18.14	C0975-125-1500S	L					
44.45	31.70			18.14	25.5	C0975-125-1750M		G	15.12	C0975-125-1750S	L					
50.80	35.92			15.55	28.4	C0975-125-2000M		G	12.96	C0975-125-2000S	L					
57.15	40.13			13.61	31.3	C0975-125-2250M		G	11.34	C0975-125-2250S	L					
63.50	44.35			12.10	34.2	C0975-125-2500M		G	10.08	C0975-125-2500S	L					
69.85	48.59			10.89	37.1	C0975-125-2750M		H	9.07	C0975-125-2750S	M					
76.20	52.81			9.89	40.1	C0975-125-3000M		H	8.24	C0975-125-3000S	M					
24.77	3.43	22.35	17.75	286.72	62.44	16.3	C0975-135-0880M	H	238.92	52.03	C0975-135-0880S	M				
		25.40	19.91		52.18	17.9	C0975-135-1000M	H		43.48	C0975-135-1000S	M				
		31.75	24.83		30.96	24.2	C0975-135-1500M	H		25.80	C0975-135-1500S	M				
		38.10	29.77		22.01	30.6	C0975-135-2000M	H		18.34	C0975-135-2000S	M				
		50.80	37.77		17.07	36.9	C0975-135-2500M	H		14.22	C0975-135-2500S	M				
		63.50	46.71		13.96	43.3	C0975-135-3000M	H		11.63	C0975-135-3000S	M				
		76.20	55.65		11.78	49.6	C0975-135-3500M	H		9.82	C0975-135-3500S	M				
		88.90	64.59		10.21	56.0	C0975-135-4000M	H		8.51	C0975-135-4000S	M				
		24.77	3.76		25.40	20.83	367.09	80.37		19.4	C0975-148-1000M	H	305.90	66.97	C0975-148-1000S	M
					38.10	30.30		47.00		26.5	C0975-148-1500M	H		39.17	C0975-148-1500S	M
50.80	39.75			33.20	33.6	C0975-148-2000M		H	27.67	C0975-148-2000S	M					
63.50	49.20			25.67	40.7	C0975-148-2500M		H	21.39	C0975-148-2500S	M					
		76.20	58.65		20.92	47.8	C0975-148-3000M	H		17.43	C0975-148-3000S	M				




**B**



**MUSIC WIRE TO DIN 17223**

**STAINLESS STEEL TO DIN 17224**


Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group					
24.77	3.76	88.90	68.12	367.09	17.67	54.8	C0975-148-3500M	H	305.90	14.72	C0975-148-3500S	M					
		101.60	77.57		15.27	61.9	C0975-148-4000M	H		12.72	C0975-148-4000S	M					
	4.11	4.11	38.10	31.65	468.82	72.70	28.5	C0975-162-1500M	H	390.67	60.58	C0975-162-1500S	M				
			50.80	41.61		51.01	36.3	C0975-162-2000M	H		42.51	C0975-162-2000S	M				
			63.50	51.56		39.29	44.1	C0975-162-2500M	H		32.74	C0975-162-2500S	M				
			76.20	61.52		31.96	51.8	C0975-162-3000M	H		26.63	C0975-162-3000S	M				
			88.90	71.48		26.91	59.6	C0975-162-3500M	H		22.42	C0975-162-3500S	M				
			101.60	81.43		23.25	67.4	C0975-162-4000M	H		19.37	C0975-162-4000S	M				
			27.94	2.16		22.23	13.26	70.90	7.90		8.8	C1100-085-0875M	F	59.08	6.58	C1100-085-0875S	G
						25.40	14.83		6.71		9.4	C1100-085-1000M	F		5.59	C1100-085-1000S	G
31.75	18.01	5.17			10.7	C1100-085-1250M	F		4.31	C1100-085-1250S	G						
38.10	21.16	4.19			11.9	C1100-085-1500M	F		3.49	C1100-085-1500S	G						
50.80	27.51	3.05			14.3	C1100-085-2000M	F		2.54	C1100-085-2000S	K						
63.50	33.83	2.40			16.7	C1100-085-2500M	F		2.00	C1100-085-2500S	K						
76.20	40.44	1.96			19.2	C1100-085-3000M	F		1.63	C1100-085-3000S	K						
88.90	46.51	1.68			21.6	C1100-085-3500M	F		1.40	C1100-085-3500S	K						
101.60	52.86	1.45			24.0	C1100-085-4000M	G		1.21	C1100-085-4000S	K						
114.30	59.18	1.28			26.5	C1100-085-4500M	G		1.06	C1100-085-4500S	K						
127.00	65.53	1.16			28.9	C1100-085-5000M	G		0.96	C1100-085-5000S	K						
2.44	2.44	22.35			14.07	99.60	12.22		10.3	C1100-096-0875M	G	83.00	10.18		C1100-096-0875S	K	
		25.40		15.77	10.33		11.1	C1100-096-1000M	G	8.61	C1100-096-1000S		K				
		31.75		19.13	7.90		12.6	C1100-096-1250M	G	6.58	C1100-096-1250S		K				
		38.10		22.50	6.39		14.2	C1100-096-1500M	G	5.32	C1100-096-1500S		K				
		50.80		29.24	4.62		17.3	C1100-096-2000M	G	3.85	C1100-096-2000S		K				
		63.50		35.99	3.63		20.3	C1100-096-2500M	G	3.02	C1100-096-2500S		K				
		76.20		42.72	2.98		23.4	C1100-096-3000M	G	2.48	C1100-096-3000S		K				
		88.90		49.45	2.52		26.5	C1100-096-3500M	G	2.10	C1100-096-3500S		K				
		101.60		56.18	2.19		29.6	C1100-096-4000M	G	1.82	C1100-096-4000S		K				
		114.30		62.94	1.94		32.7	C1100-096-4500M	G	1.62	C1100-096-4500S		K				
		2.67		2.67	22.35		14.76	127.80	17.11	11.5	C1100-105-0875M		G	106.50	14.26	C1100-105-0875S	K
					25.40		16.54		14.39	12.4	C1100-105-1000M		G		11.99	C1100-105-1000S	K
31.75	20.07				10.94	14.2	C1100-105-1250M		G	9.12	C1100-105-1250S	K					
38.10	23.62		8.83		16.0	C1100-105-1500M	G		7.36	C1100-105-1500S	K						
50.80	30.68		6.36		19.7	C1100-105-2000M	G		5.30	C1100-105-2000S	K						
63.50	37.77		4.97		23.3	C1100-105-2500M	G		4.14	C1100-105-2500S	K						
76.20	44.86		4.08		27.0	C1100-105-3000M	G		3.40	C1100-105-3000S	K						
88.90	51.94		3.45		30.6	C1100-105-3500M	G		2.87	C1100-105-3500S	K						
2.84	2.84		22.35		15.27	152.84	21.98		12.4	C1100-112-0875M	G	127.36	18.32		C1100-112-0875S	K	
			25.40		17.12		18.44		13.5	C1100-112-1000M	G		15.37		C1100-112-1000S	K	
			31.75		20.78		13.94		15.5	C1100-112-1250M	G		11.62		C1100-112-1250S	K	
			38.10		24.46		11.21		17.5	C1100-112-1500M	G		9.34		C1100-112-1500S	K	
		44.45	28.14	9.37	19.6		C1100-112-1750M	G	7.81	C1100-112-1750S	K						
		50.80	31.83	8.06	21.6		C1100-112-2000M	G	6.72	C1100-112-2000S	K						
		57.15	35.51	7.06	23.7		C1100-112-2250M	G	5.88	C1100-112-2250S	K						
		63.50	39.19	6.29	25.7		C1100-112-2500M	G	5.24	C1100-112-2500S	K						
		76.20	46.53	5.15	29.8		C1100-112-3000M	H	4.29	C1100-112-3000S	L						
		88.90	53.90	4.36	33.9		C1100-112-3500M	H	3.63	C1100-112-3500S	L						
		101.60	61.26	3.78	38.0		C1100-112-4000M	J	3.15	C1100-112-4000S	M						
		114.30	68.61	3.34	42.0		C1100-112-4500M	J	2.78	C1100-112-4500S	M						
3.18	3.18	22.35	16.26	207.02	34.02	14.1	C1100-125-0880M	G	172.51	28.35	C1100-125-0880S	K					
		25.40	18.16		28.58	15.3	C1100-125-1000M	G		23.82	C1100-125-1000S	K					
		31.75	22.10		21.43	17.7	C1100-125-1250M	G		17.86	C1100-125-1250S	K					
		38.10	26.04		17.14	20.2	C1100-125-1500M	G		14.28	C1100-125-1500S	K					
		44.45	29.97		14.29	22.7	C1100-125-1750M	H		11.91	C1100-125-1750S	L					
		50.80	33.91		12.24	25.1	C1100-125-2000M	H		10.20	C1100-125-2000S	L					
		57.15	37.85		10.72	27.6	C1100-125-2250M	H		8.93	C1100-125-2250S	L					
		63.50	41.76		9.53	30.0	C1100-125-2500M	H		7.94	C1100-125-2500S	L					
		76.20	49.63		7.79	35.0	C1100-125-3000M	H		6.49	C1100-125-3000S	M					
		88.90	57.51		6.60	39.8	C1100-125-3500M	H		5.50	C1100-125-3500S	M					
		101.60	65.38		5.71	44.8	C1100-125-4000M	K		4.76	C1100-125-4000S	O					
		114.30	73.25		5.04	49.7	C1100-125-4500M	K		4.20	C1100-125-4500S	O					
3.43	3.43	38.10	27.18	255.82	23.41	22.2	C1100-135-1500M	K	213.17	19.51	C1100-135-1500S	O					
		50.80	35.43		16.65	27.7	C1100-135-2000M	K		13.87	C1100-135-2000S	O					
		63.50	43.69		12.92	33.3	C1100-135-2500M	K		10.77	C1100-135-2500S	O					
		76.20	51.94		10.56	38.8	C1100-135-3000M	K		8.80	C1100-135-3000S	O					
		88.90	60.22		8.91	44.3	C1100-135-3500M	L		7.42	C1100-135-3500S	O					
		101.60	68.48		7.72	49.9	C1100-135-4000M	L		6.43	C1100-135-4000S	O					
		114.30	76.73		6.81	55.4	C1100-135-4500M	M		5.67	C1100-135-4500S	O					
		127.00	84.99		6.09	61.0	C1100-135-5000M	G		5.07	C1100-135-5000S	K					
		31.12	2.16		22.35	12.24	64.05	6.41		8.4	C1225-085-0875M	G	53.37	5.34	C1225-085-0875S	K	
					25.40	13.64		5.45		8.9	C1225-085-1000M	G		4.54	C1225-085-1000S	K	
					38.10	19.28		3.40		11.0	C1225-085-1500M	G		2.83	C1225-085-1500S	K	
					50.80	24.89		2.47		13.2	C1225-085-2000M	G		2.06	C1225-085-2000S	K	
63.50	30.51			1.94	15.3	C1225-085-2500M		G	1.62	C1225-085-2500S	K						
76.20	36.14			1.59	17.4	C1225-085-3000M		G	1.33	C1225-085-3000S	K						
88.90	41.76			1.37	19.5	C1225-085-3500M		G	1.14	C1225-085-3500S	K						
101.60	47.37			1.17	21.6	C1225-085-4000M		G	0.98	C1225-085-4000S	K						
114.30	53.01			1.05	23.7	C1225-085-4500M		G	0.88	C1225-085-4500S	K						
127.00	58.62			0.93	25.9	C1225-085-5000M		G	0.77	C1225-085-5000S	K						
2.44	2.44			22.35	13.61	89.85		10.44	9.6	C1225-096-0875M	G	74.87		8.70	C1225-096-0875S	K	
				25.40	15.21			8.83	10.2	C1225-096-1000M	G			7.36	C1225-096-1000S	K	
			31.75	18.42	6.74		11.5	C1225-096-1250M	G	5.62	C1225-096-1250S		K				
			38.10	21.62	5.45		12.7	C1225-096-1500M	G	4.54	C1225-096-1500S		K				
			44.45	24.82	4.57		14.0	C1225-096-1750M	H	3.81	C1225-096-1750S		K				
			50.80	28.02	3.94		15.3	C1225-096-2000M	H	3.28	C1225-096-2000S		K				
			57.15	31.22	3.47		16.6	C1225-096-2250M	H	2.89	C1225-096-2250S		K				
			63.50	34.42	3.08		17.8	C1225-096-2500M	H	2.57	C1225-096-2500S		K				
			69.85	37.62	2.78		19.1	C1225-096-2750M	H	2.32	C1225-096-2750S		K				
			76.20	40.82	2.54		20.4	C1225-096-3000M	H	2.12	C1225-096-3000S		K				



**MUSIC WIRE TO DIN 17223**

**STAINLESS STEEL TO DIN 17224**


Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group
31.12	2.44	88.90	47.22	89.85	2.15	22.9	C1225-096-3500M	H	74.87	1.79	C1225-096-3500S	L
		101.60	53.62		1.87	25.5	C1225-096-4000M	H		1.56	C1225-096-4000S	L
		114.30	60.02		1.66	28.0	C1225-096-4500M	H		1.39	C1225-096-4500S	M
		127.00	66.42		1.49	30.5	C1225-096-5000M	H		1.24	C1225-096-5000S	M
	2.67	22.35	14.25	115.34	14.45	10.7	C1225-105-0875M	G	96.11	12.04	C1225-105-0875S	K
		25.40	15.93		12.17	11.4	C1225-105-1000M	G		10.14	C1225-105-1000S	K
		31.75	19.28		9.25	13.0	C1225-105-1250M	G		7.71	C1225-105-1250S	K
		38.10	22.63		7.44	14.4	C1225-105-1500M	G		6.20	C1225-105-1500S	K
		50.80	29.31		5.38	17.5	C1225-105-2000M	H		4.48	C1225-105-2000S	K
		63.50	36.02		4.20	20.5	C1225-105-2500M	H		3.50	C1225-105-2500S	K
		76.20	42.72		3.45	23.5	C1225-105-3000M	H		2.87	C1225-105-3000S	K
		88.90	49.43		2.92	26.5	C1225-105-3500M	H		2.43	C1225-105-3500S	M
		101.60	56.11		2.54	29.6	C1225-105-4000M	H		2.12	C1225-105-4000S	M
		114.30	62.81		2.24	32.6	C1225-105-4500M	J		1.87	C1225-105-4500S	N
	127.00	69.52	2.01	35.6	C1225-105-5000M	J	1.67	C1225-105-5000S	N			
	2.84	22.35	14.73	138.03	18.40	11.6	C1225-112-0875M	H	115.02	15.33	C1225-112-0875S	L
		25.40	16.46		15.44	12.4	C1225-112-1000M	H		12.87	C1225-112-1000S	L
		31.75	19.94		11.68	14.1	C1225-112-1250M	H		9.73	C1225-112-1250S	L
		38.10	23.39		9.39	15.8	C1225-112-1500M	H		7.82	C1225-112-1500S	L
		50.80	30.35		6.74	19.2	C1225-112-2000M	J		5.62	C1225-112-2000S	L
		63.50	37.29		5.27	22.6	C1225-112-2500M	J		4.39	C1225-112-2500S	L
		76.20	44.22		4.31	26.1	C1225-112-3000M	J		3.59	C1225-112-3000S	L
		88.90	51.16		3.66	29.5	C1225-112-3500M	J		3.05	C1225-112-3500S	M
		101.60	58.12		3.17	32.9	C1225-112-4000M	J		2.64	C1225-112-4000S	M
		3.18	22.35		15.60	187.14	28.24	13.1		C1225-125-0875M	J	155.94
	25.40		17.45	23.53	14.2		C1225-125-1000M	J	19.61	C1225-125-1000S	M	
	31.75		21.16	17.65	16.2		C1225-125-1250M	J	14.71	C1225-125-1250S	M	
	38.10		24.84	14.11	18.3		C1225-125-1500M	J	11.76	C1225-125-1500S	M	
	44.45		28.54	11.77	20.4		C1225-125-1750M	K	9.81	C1225-125-1750S	M	
	50.80		32.26	10.09	22.5		C1225-125-2000M	K	8.41	C1225-125-2000S	M	
	57.15		35.96	8.83	24.5		C1225-125-2250M	K	7.36	C1225-125-2250S	M	
	63.50		39.65	7.84	26.6		C1225-125-2500M	K	6.53	C1225-125-2500S	M	
	69.85		43.34	7.06	28.7		C1225-125-2750M	K	5.88	C1225-125-2750S	M	
	76.20		47.04	6.43	30.8		C1225-125-3000M	K	5.36	C1225-125-3000S	M	
	88.90		54.46	5.43	34.9		C1225-125-3500M	K	4.52	C1225-125-3500S	M	
	101.60		61.85	4.71	39.1		C1225-125-4000M	K	3.92	C1225-125-4000S	M	
	114.30		69.26	4.15	43.2		C1225-125-4500M	K	3.46	C1225-125-4500S	O	
	127.00		76.65	3.71	47.4		C1225-125-5000M	K	3.09	C1225-125-5000S	O	
	3.43	22.35	16.33	231.44	38.38	14.4	C1225-135-0880M	J	192.86	31.98	C1225-135-0880S	M
		25.40	18.19		32.06	15.5	C1225-135-1000M	J		26.72	C1225-135-1000S	M
		31.75	22.07		23.88	17.8	C1225-135-1250M	J		19.90	C1225-135-1250S	M
		38.10	25.93		19.03	20.2	C1225-135-1500M	J		15.86	C1225-135-1500S	M
		50.80	33.71		13.54	24.9	C1225-135-2000M	K		11.28	C1225-135-2000S	N
		63.50	41.45		10.51	29.7	C1225-135-2500M	K		8.76	C1225-135-2500S	N
		76.20	49.23		8.58	34.4	C1225-135-3000M	K		7.15	C1225-135-3000S	O
		88.90	56.97		7.25	39.1	C1225-135-3500M	K		6.04	C1225-135-3500S	O
	3.76	22.35	17.12	298.03	56.91	15.8	C1225-148-0880M	J	248.35	47.42	C1225-148-0880S	L
		25.40	19.08		47.21	17.1	C1225-148-1000M	J		39.34	C1225-148-1000S	L
		31.75	23.19		34.83	19.8	C1225-148-1250M	J		29.02	C1225-148-1250S	L
		38.10	27.31		27.60	22.6	C1225-148-1500M	J		23.00	C1225-148-1500S	L
		50.80	35.51		19.51	28.0	C1225-148-2000M	K		16.26	C1225-148-2000S	N
		63.50	43.74		15.08	33.5	C1225-148-2500M	K		12.57	C1225-148-2500S	N
		76.20	51.94		12.29	39.0	C1225-148-3000M	K		10.24	C1225-148-3000S	P
		88.90	60.17		10.37	44.4	C1225-148-3500M	K		8.64	C1225-148-3500S	P
		101.60	68.38		8.97	49.9	C1225-148-4000M	M		7.47	C1225-148-4000S	T
		114.30	76.60		7.90	55.4	C1225-148-4500M	M		6.58	C1225-148-4500S	T
	127.00	84.81	7.06	60.8	C1225-148-5000M	M	5.88	C1225-148-5000S	T			
	4.11	25.40	20.14	382.08	72.60	18.5	C1225-162-1000M	M	318.39	60.50	C1225-162-1000S	T
		38.10	28.96		41.73	24.5	C1225-162-1500M	M		34.77	C1225-162-1500S	T
		50.80	37.74		29.28	30.6	C1225-162-2000M	M		24.40	C1225-162-2000S	T
		63.50	46.56		22.55	36.6	C1225-162-2500M	M		18.79	C1225-162-2500S	T
		76.20	55.37		18.33	42.7	C1225-162-3000M	M		15.27	C1225-162-3000S	T
		88.90	64.16		15.44	48.7	C1225-162-3500M	M		12.87	C1225-162-3500S	T
		101.60	72.97		13.34	54.8	C1225-162-4000M	M		11.12	C1225-162-4000S	T
		114.30	81.79		11.75	60.8	C1225-162-4500M	M		9.79	C1225-162-4500S	T
	127.00	90.60	10.49	66.9	C1225-162-5000M	M	8.74	C1225-162-5000S	T			
	4.50	38.10	30.23	486.43	61.81	26.9	C1225-177-1500M	M	405.34	51.51	C1225-177-1500S	T
		50.80	39.50		43.04	33.7	C1225-177-2000M	M		35.87	C1225-177-2000S	T
		63.50	48.77		33.01	40.5	C1225-177-2500M	M		27.51	C1225-177-2500S	T
		76.20	58.04		26.77	47.3	C1225-177-3000M	M		22.31	C1225-177-3000S	T
		88.90	67.31		22.52	54.1	C1225-177-3500M	M		18.77	C1225-177-3500S	T
		101.60	76.56		19.42	60.9	C1225-177-4000M	M		16.18	C1225-177-4000S	T
		114.30	85.83		17.09	67.7	C1225-177-4500M	M		14.24	C1225-177-4500S	T
		127.00	95.10		15.25	74.5	C1225-177-5000M	M		12.71	C1225-177-5000S	T
	4.88	38.10	31.39	605.51	90.37	28.9	C1225-192-1500M	M	504.57	75.31	C1225-192-1500S	T
		50.80	41.10		62.41	36.5	C1225-192-2000M	M		52.01	C1225-192-2000S	T
		63.50	50.80		47.66	43.9	C1225-192-2500M	M		39.72	C1225-192-2500S	T
		76.20	60.50		38.56	51.4	C1225-192-3000M	M		32.13	C1225-192-3000S	T
		88.90	70.21		32.36	59.0	C1225-192-3500M	M		26.97	C1225-192-3500S	T
		101.60	79.88		27.89	66.4	C1225-192-4000M	M		23.24	C1225-192-4000S	T
		114.30	89.59		24.50	74.0	C1225-192-4500M	M		20.42	C1225-192-4500S	T
	127.00	99.29	21.85	81.5	C1225-192-5000M	M	18.21	C1225-192-5000S	T			
	5.26	50.80	42.39	742.50	88.39	39.2	C1225-207-2000M	M	618.73	73.66	C1225-207-2000S	T
		63.50	52.45		67.20	47.4	C1225-207-2500M	M		56.00	C1225-207-2500S	T
		76.20	62.51		54.21	55.6	C1225-207-3000M	M		45.17	C1225-207-3000S	T
		88.90	72.57		45.42	63.9	C1225-207-3500M	M		37.85	C1225-207-3500S	T
		101.60	82.60		39.08	72.1	C1225-207-4000M	M		32.57	C1225-207-4000S	T
		114.30	92.66		34.30	80.3	C1225-207-4500M	M		28.58	C1225-207-4500S	T
	127.00	102.72	30.57	88.5	C1225-207-5000M	M	25.47	C1225-207-5000S	T			



**MUSIC WIRE TO DIN 17223**

**STAINLESS STEEL TO DIN 17224**

Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group	
37.08	2.84	38.10	21.95	116.68	7.23	13.5	C1460-112-1500M	K	97.23	6.02	C1460-112-1500S	M	
		50.80	28.32		5.18	16.0	C1460-112-2000M	K		4.32	C1460-112-2000S	M	
		63.50	34.70		4.05	18.5	C1460-112-2500M	K		3.37	C1460-112-2500S	M	
		76.20	41.07		3.33	21.0	C1460-112-3000M	K		2.77	C1460-112-3000S	M	
		88.90	47.45		2.82	23.5	C1460-112-3500M	K		2.35	C1460-112-3500S	M	
		101.60	53.82		2.43	26.0	C1460-112-4000M	K		2.02	C1460-112-4000S	M	
	3.18	38.10	23.19	158.40	10.63	15.6	C1460-125-1500M	J	131.99	8.86	C1460-125-1500S	M	
		50.80	29.95		7.60	18.8	C1460-125-2000M	J		6.33	C1460-125-2000S	M	
		63.50	36.68		5.90	21.8	C1460-125-2500M	K		4.92	C1460-125-2500S	N	
		76.20	43.41		4.83	24.9	C1460-125-3000M	K		4.02	C1460-125-3000S	N	
		88.90	50.17		4.08	28.0	C1460-125-3500M	K		3.40	C1460-125-3500S	N	
		101.60	56.90		3.54	31.1	C1460-125-4000M	K		2.95	C1460-125-4000S	N	
	3.43	38.10	24.16	196.12	14.06	17.3	C1460-135-1500M	K	163.43	11.72	C1460-135-1500S	N	
		50.80	31.19		10.00	20.9	C1460-135-2000M	K		8.33	C1460-135-2000S	N	
		63.50	38.23		7.76	24.5	C1460-135-2500M	K		6.47	C1460-135-2500S	N	
		76.20	45.26		6.34	28.0	C1460-135-3000M	K		5.28	C1460-135-3000S	N	
		88.90	52.30		5.36	31.6	C1460-135-3500M	K		4.47	C1460-135-3500S	O	
		101.60	59.33		4.64	35.4	C1460-135-4000M	K		3.87	C1460-135-4000S	O	
	3.76	38.10	25.40	252.93	19.91	19.5	C1460-148-1500M	K	210.77	16.59	C1460-148-1500S	M	
		50.80	32.82		14.06	23.7	C1460-148-2000M	K		11.72	C1460-148-2000S	M	
		63.50	40.26		10.87	27.9	C1460-148-2500M	K		9.06	C1460-148-2500S	O	
		76.20	47.68		8.86	32.1	C1460-148-3000M	K		7.38	C1460-148-3000S	O	
		88.90	55.09		7.48	36.3	C1460-148-3500M	L		6.23	C1460-148-3500S	P	
		101.60	62.53		6.48	40.5	C1460-148-4000M	L		5.40	C1460-148-4000S	P	
	4.11	38.10	26.70	324.45	28.44	21.8	C1460-162-1500M	L	270.36	23.70	C1460-162-1500S	P	
		50.80	34.54		19.96	26.6	C1460-162-2000M	L		16.63	C1460-162-2000S	P	
		63.50	42.39		15.37	31.5	C1460-162-2500M	L		12.81	C1460-162-2500S	Q	
		76.20	50.24		12.50	36.4	C1460-162-3000M	L		10.42	C1460-162-3000S	Q	
		88.90	58.09		10.52	41.3	C1460-162-3500M	M		8.77	C1460-162-3500S	S	
		101.60	65.94		9.11	46.2	C1460-162-4000M	M		7.59	C1460-162-4000S	S	
		114.30	73.79		8.00	51.0	C1460-162-4500M	M		6.67	C1460-162-4500S	T	
		127.00	81.64		7.14	55.9	C1460-162-5000M	M		5.95	C1460-162-5000S	T	
	42.85	3.43	38.10	22.94	170.81	11.28	15.4	C1687-135-1500M	K	142.34	9.40	C1687-135-1500S	N
			50.80	29.49		8.02	18.1	C1687-135-2000M	K		6.68	C1687-135-2000S	N
			63.50	36.02		6.22	20.9	C1687-135-2500M	K		5.18	C1687-135-2500S	N
			76.20	42.57		5.08	23.7	C1687-135-3000M	K		4.23	C1687-135-3000S	N
88.90			49.10	4.29		26.4	C1687-135-3500M	L	3.57		C1687-135-3500S	P	
101.60			55.65	3.71		29.2	C1687-135-4000M	L	3.09		C1687-135-4000S	P	
3.76		38.10	24.05	220.50	15.71	17.3	C1687-148-1500M	K	183.74	13.09	C1687-148-1500S	M	
		50.80	30.94		11.10	20.6	C1687-148-2000M	K		9.25	C1687-148-2000S	M	
		63.50	37.80		8.58	23.9	C1687-148-2500M	K		7.15	C1687-148-2500S	O	
		76.20	44.65		6.99	27.2	C1687-148-3000M	K		5.82	C1687-148-3000S	O	
		88.90	51.54		5.90	30.5	C1687-148-3500M	L		4.92	C1687-148-3500S	P	
		101.60	58.39		5.10	33.8	C1687-148-4000M	L		4.25	C1687-148-4000S	P	
4.11		38.10	25.25	283.13	22.03	19.4	C1687-162-1500M	L	235.93	18.36	C1687-162-1500S	O	
		50.80	32.49		15.44	23.3	C1687-162-2000M	L		12.87	C1687-162-2000S	O	
		63.50	39.70		11.91	27.2	C1687-162-2500M	M		9.92	C1687-162-2500S	P	
		76.20	46.94		9.68	31.1	C1687-162-3000M	M		8.07	C1687-162-3000S	P	
		88.90	54.18		8.16	35.0	C1687-162-3500M	M		6.80	C1687-162-3500S	Q	
		101.60	61.42		7.04	38.8	C1687-162-4000M	M		5.87	C1687-162-4000S	Q	
4.50		38.10	26.49	361.46	31.12	21.6	C1687-177-1500M	L	301.20	25.93	C1687-177-1500S	P	
		50.80	34.11		21.66	26.1	C1687-177-2000M	L		18.05	C1687-177-2000S	P	
		63.50	41.76		16.62	30.7	C1687-177-2500M	M		13.85	C1687-177-2500S	Q	
		76.20	49.38		13.47	35.2	C1687-177-3000M	M		11.22	C1687-177-3000S	Q	
		88.90	57.00		11.33	39.7	C1687-177-3500M	N		9.44	C1687-177-3500S	S	
		101.60	64.64		9.77	44.2	C1687-177-4000M	N		8.14	C1687-177-4000S	S	
4.88		38.10	27.66	451.94	43.32	23.7	C1687-192-1500M	M	376.60	36.10	C1687-192-1500S	R	
		50.80	35.69		29.93	28.9	C1687-192-2000M	M		24.94	C1687-192-2000S	R	
		63.50	43.71		22.85	34.0	C1687-192-2500M	N		19.04	C1687-192-2500S	T	
		76.20	51.74		18.49	39.2	C1687-192-3000M	N		15.41	C1687-192-3000S	T	
		88.90	59.77		15.51	44.4	C1687-192-3500M	N		12.92	C1687-192-3500S	V	
		101.60	67.79		13.38	49.5	C1687-192-4000M	N		11.15	C1687-192-4000S	V	
49.20		3.76	50.80	29.41	193.14	9.04	18.2	C1937-148-2000M	L	160.94	7.53	C1937-148-2000S	O
			63.50	35.84		6.99	20.8	C1937-148-2500M	L		5.82	C1937-148-2500S	O
			76.20	42.27		5.69	23.3	C1937-148-3000M	L		4.74	C1937-148-3000S	P
			88.90	48.69		4.80	25.9	C1937-148-3500M	L		4.00	C1937-148-3500S	P
			101.60	55.12		4.15	28.5	C1937-148-4000M	M		3.46	C1937-148-4000S	R
			114.30	61.52		3.66	31.1	C1937-148-4500M	M		3.05	C1937-148-4500S	R
	4.11	50.80	30.78	248.21	12.40	20.6	C1937-162-2000M	M	206.83	10.33	C1937-162-2000S	Q	
		63.50	37.52		9.54	23.6	C1937-162-2500M	M		7.95	C1937-162-2500S	Q	
		76.20	44.25		7.76	26.7	C1937-162-3000M	M		6.47	C1937-162-3000S	R	
		88.90	50.98		6.55	29.8	C1937-162-3500M	M		5.46	C1937-162-3500S	R	
		101.60	57.71		5.66	32.8	C1937-162-4000M	N		4.72	C1937-162-4000S	S	
		114.30	64.44		4.97	35.9	C1937-162-4500M	N		4.14	C1937-162-4500S	S	
4.50	127.00	71.15	248.21	4.45	39.0	C1937-162-5000M	N	206.83	3.71	C1937-162-5000S	T		
	139.70	77.88		4.01	42.1	C1937-162-5500M	N		3.34	C1937-162-5500S	T		
	152.40	84.61		3.66	45.2	C1937-162-6000M	N		3.05	C1937-162-6000S	T		
	165.10	91.34		3.33	48.3	C1937-162-6500M	N		2.81	C1937-162-6500S	T		
	177.80	98.07		3.00	51.4	C1937-162-7000M	N		2.57	C1937-162-7000S	T		
	190.50	104.80		2.67	54.5	C1937-162-7500M	N		2.33	C1937-162-7500S	T		
4.88	50.80	31.91	248.21	13.12	21.6	C1937-177-2000M	L	206.83	10.93	C1937-177-2000S	R		
	63.50	38.84		10.20	24.8	C1937-177-2500M	L		8.33	C1937-177-2500S	R		
	76.20	45.77		8.29	28.0	C1937-177-3000M	L		6.74	C1937-177-3000S	R		
	88.90	52.70		6.99	31.2	C1937-177-3500M	L		5.95	C1937-177-3500S	R		
	101.60	59.63		6.00	34.4	C1937-177-4000M	L		5.33	C1937-177-4000S	R		
	114.30	66.56		5.33	37.6	C1937-177-4500M	L		4.81	C1937-177-4500S	R		



**B**



**MUSIC WIRE TO DIN 17223**

**STAINLESS STEEL TO DIN 17224**

Do Outside Dia mm	d Wire Dia mm	Lo Free Length mm	L1 Loaded Length mm	P1 Load at L1 N	P/f Rate N/mm	Sh Approx.solid height. mm	Part No.	Price Group	P1 Load at L1 N	P/f Rate N/mm	Part No.	Price Group	
49.20	4.50	76.20	46.41	317.11	10.65	30.4	C1937-177-3000M	N	264.25	8.87	C1937-177-3000S	R	
		88.90	53.47		8.95	34.0	C1937-177-3500M	O		7.46	C1937-177-3500S	T	
		101.60	60.53		7.72	37.6	C1937-177-4000M	O		6.43	C1937-177-4000S	T	
		114.30	67.61		6.79	41.3	C1937-177-4500M	O		5.66	C1937-177-4500S	U	
		127.00	74.68		6.06	44.9	C1937-177-5000M	O		5.05	C1937-177-5000S	U	
		139.70	81.74		5.46	48.5	C1937-177-5500M	O		4.55	C1937-177-5500S	V	
		152.40	88.82		4.99	52.1	C1937-177-6000M	O		4.16	C1937-177-6000S	V	
		63.50	41.15		396.91	17.76	29.9	C1937-192-2500M		N	14.80	C1937-192-2500S	T
		76.20	48.56			14.36	34.1	C1937-192-3000M		N	11.97	C1937-192-3000S	T
	88.90	55.98	12.05	38.2		C1937-192-3500M	O	10.04	C1937-192-3500S	V			
	101.60	63.40	10.38	42.4		C1937-192-4000M	O	8.65	C1937-192-4000S	V			
	114.30	70.82	9.12	46.6		C1937-192-4500M	P	7.60	C1937-192-4500S	W			
	127.00	78.23	8.14	50.8		C1937-192-5000M	P	6.78	C1937-192-5000S	W			
	139.70	85.65	7.34	55.0		C1937-192-5500M	P	6.12	C1937-192-5500S	X			
	152.40	93.07	6.69	59.1		C1937-192-6000M	P	5.57	C1937-192-6000S	X			
	63.50	42.93	488.10	23.71		32.9	C1937-207-2500M	O	19.76	C1937-207-2500S	V		
	76.20	49.94		19.12	37.7	C1937-207-3000M	O	15.93	C1937-207-3000S	V			
	88.90	58.45		16.02	42.4	C1937-207-3500M	P	13.35	C1937-207-3500S	W			
	101.60	66.22		13.80	47.2	C1937-207-4000M	P	11.50	C1937-207-4000S	W			
	114.30	73.99		12.10	51.9	C1937-207-4500M	Q	10.08	C1937-207-4500S	X			
	127.00	81.76		10.79	56.6	C1937-207-5000M	Q	8.99	C1937-207-5000S	X			
	139.70	89.51		9.72	61.4	C1937-207-5500M	R	8.10	C1937-207-5500S	X			
	152.40	97.28		8.86	66.1	C1937-207-6000M	R	7.38	C1937-207-6000S	X			

